

	Type	Hits	Search Text
1	BRS	0	257/\$.ccls. and (power adj semiconductor) and ((second adj base) or (second near2 base) or (second near3 base)) and (emitter or source) and (collector or drain) and (electrode) and ((gate with ((insulating or insulator) with second)) with (dielectric adj constant))
2	BRS	25	257/\$.ccls. and ((second adj base) or (second near2 base) or (second near3 base)) and (emitter or source) and (collector or drain) and (electrode) and ((gate with ((insulating or insulator) with second)) and (dielectric adj constant))
3	BRS	69	257/\$.ccls. and (second with (gate) with (dielectric adj constant))
4	BRS	35	257/\$.ccls. and (second with (gate) with (dielectric adj constant)) and (second with (gate) with (thickness))
5	BRS	2	257/\$.ccls. and (second with (gate) with (dielectric adj constant)) and (second with (gate) with (thickness)) and ((first or second) with base)
6	BRS	334	257/302.ccls.
7	BRS	744	257/133,153,250.ccls.
8	BRS	483	257/249,262.ccls.
9	BRS	730	257/330,331.ccls.
10	IS&R	1	("5973338").PN.
11	IS&R	57167	(257/\$.ccls. and ((gate adj electrode) with trench)).CCLS.
12	IS&R	125230	(257/\$.ccls. and ((gate adj electrode) with trench)).CCLS.
13	BRS	663	257/\$.ccls. and ((gate adj electrode) with trench)
14	BRS	159	257/\$.ccls. and ((gate adj electrode) with trench) and ((first or second) with (gate adj insulating))

	DBs	Time Stamp	Comments	Error Definition
1	USPAT; EPO; JPO; DERWENT	2002/02/07 09:50		
2	USPAT; EPO; JPO; DERWENT	2002/02/07 10:02		
3	USPAT; EPO; JPO; DERWENT	2002/02/07 10:08		
4	USPAT; EPO; JPO; DERWENT	2002/02/07 10:15		
5	USPAT; EPO; JPO; DERWENT	2002/02/07 12:02		
6	USPAT; EPO; JPO; DERWENT	2002/02/07 12:02		
7	USPAT; EPO; JPO; DERWENT	2002/02/07 13:40		
8	USPAT; EPO; JPO; DERWENT	2002/02/07 12:03		
9	USPAT; EPO; JPO; DERWENT	2002/02/07 12:29		
10	USPAT; US-PGPUB	2002/02/07 12:30		
11	USPAT; US-PGPUB	2002/02/07 12:31		
12	USPAT; EPO; JPO; DERWENT	2002/02/07 12:31		
13	USPAT; EPO; JPO; DERWENT	2002/02/07 12:33		
14	USPAT; EPO; JPO; DERWENT	2002/02/07 12:36		

	Errors
1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0
10	0
11	0
12	0
13	0
14	0

	Type	Hits	Search Text
15	BRS	82	257/\$.ccls. and ((gate adj electrode) with trench) with ((first or second) with (gate adj insulating))
16	IS&R	1	("6300663").PN.
17	BRS	225	257/133.ccls.
18	BRS	32	257/133.ccls.

	DBs	Time Stamp	Comments	Error Definition
15	USPAT; EPO; JPO; DERWENT	2002/02/07 12:37		
16	USPAT; US-PGPUB	2002/02/07 14:16		
17	USPAT; JPO	2002/02/07 14:18		
18	JPO	2002/02/07 14:18		

	Errors
15	0
16	0
17	0
18	0